

De Jong Duke Nio Series

The De Jong Duke Nio offers quality drinks from a coffee machine with great capacities and pleasant features in an easy-to-use and stylish design with low maintenance. The Nio is optimized for performance and has a low total cost of ownership.





De Jong Duke Nio Series

The Nio features the trusted CoEx® technology and takes coffee experience to the next level with visible beans, illuminated ingredient canisters, glass detection, adjustable dispense head, advanced touchscreen technology and the innovative connect.me® telemetry solution. The Nio not only offers variety and custom configurations, but also can be delivered with a lockable cabinet and/or a fresh milk system.

Overview

- 

10,4" touch screen
lin high-resolution full colour
- 

Large capacity
150+ drinks per day
- 

Modular set up
from canisters to software and fresh milk to ConnectMe
- 

CoEx®-brewer inside
with 1 or 2 whole bean grinders
- 

200+ configurations
A solution for every space
- 

Connect Me
Turns Nio into a communication platform

Applications

Corporate Environment - Cafeteria, Reception Waiting Area, Employee Kitchen area, Meeting/Conference rooms
 Medical Centre - Doctor's Waiting/Reception area
 Sport Club VIP room
 Catering Industry

De Jong Nio 10.2 FM A

Selections

Whole Bean Coffee

Espresso

Double Espresso

Cappuccino (FM)

Cafe Latte (FM)

Cafe au Lait (FM)

Latte Macchiato (FM)

Hot Chocolate


Chocomilk

150 Cups capacity per day

Fresh Milk - milk fridge

Separate Sugar

Cup Warmer



Capacities	#	Size	Gram	Cups
Whole Bean	1	NBC	1100	150
Ground Coffee	2	126	2400	110
Chocolate	3	126	2820	470

De Jong Nio 10.3 F

Selections

Whole Bean Coffee

Espresso

Double Espresso

Cafe Au Lait

Cappuccino

Hot Chocolate

Chocomilk

Espresshoc


White Hot Chocolate

Hot Chocolate

Chocomilk White

150 Cups capacity per day

Separate Sugar



Capacities	#	Size	Gram	Cups
Wole Bean	1	NBC	1100	150
Milktopping	2	126	1900	380
Chocolate Dark	3	63	1260	55
Chocolate White	4	63	1260	55